

TOP SECRET**PRIORITY**

19 DEC 69 22 33Z

OUT 69025

TOP SECRET 192210Z DEC 69 CITE [REDACTED]

25X1
25X1

A. 1108-2

B.

| | | | | |
|----|----|---|-------------------------|---------------|
| I | II | III | IV | V |
| IA | A | 5 DP, 2 DN (ONE OF DN IS TI COPY) | 2 DP, 1 DN (TI COPY) | 5 DP, 1 IN, - |

| | | | | |
|----|-----|------------|------|------------------|
| IB | TP | 1 DP, 1 DN | 1 DP | 1 DP, 1 IN, - |
| 2 | B | 3 DP, 1 DN | 1 DN | 2 DP, 1 IN, 1 BW |
| 2 | G | 1 DP | 1 DP | 1 DP, - 1 BW |
| 2 | C | 3 DP, 1 DN | 2 DP | 1 DP, 1 IN, 2 BW |
| 3 | H | 1 DP | - | 1 DP, - - |
| 3 | Y | 1 DP | - | 2 DP, - - |
| 3 | I/1 | 1 DP | - | - 1 IN, 1 BW |
| 3 | I/2 | 1 DP, 1 DN | - | - - 1 BW |
| 3 | Z | 2 DP | 2 DP | 1 DP, 1 IN, 1 BW |
| 3 | L | 2 DP | 1 DP | 1 DP, - 1 BW |

| DISTRIBUTION | | |
|--------------|------------|----|
| | OFFICE | PI |
| 1 | FILE | |
| 2 | CABLE SEC. | |
| | PP&B/D | |
| | SECUR. | |
| 3,4 | TSSC/AFSD | |
| | PSG/CS | |
| 5 | RRD | |
| | REFRO | |
| | AID | |
| | LEG | |
| | IEG/AB | |
| | SCIES | |
| | WEST | |
| | EAST | |
| | MES | |
| | IEG/AB | |
| | IAS | |
| | DIA-ARM | |
| | SPAD | |
| | DIA-AP | |
| | | |
| | CMX | |
| | | |

25X1

PAGE 2 [REDACTED] 7665 TOP SECRET

| | | | | | |
|---|--------|------|------|------------------|------|
| 3 | C | 1 DP | - | - | 1 BW |
| 4 | TP | 1 DP | 1 DP | - | 1 BW |
| 4 | TU/2 | 1 DP | - | - | 1 BW |
| 4 | TTY/3 | 1 DP | - | 1 DP | - |
| 4 | TV/3 | 1 DP | - | - | 1 BW |
| 4 | TZ/3 | 1 DP | - | 1 DP | - |
| 4 | TY/1&4 | 1 DP | - | 1 DP | - |
| 4 | TTI/5 | 1 DP | - | 1 DP | - |
| 4 | X | 2 DP | - | 1 DP, 1 IN, 1 BW | - |
| 4 | TR/6 | 1 DP | - | 1 DP | - |
| 4 | G | 1 DP | - | - | 1 BW |
| 4 | L | 1 DP | - | - | 1 BW |
| 4 | C | 3 DP | - | - | 3 BW |

- /1 - REQUIREMENT IS FOR PASSES WEST OF 100 DEGREES EAST.
 /2 - REQUIREMENT IS FOR PASSES WEST OF 50 DEGREES EAST.
 /3 - REQUIREMENT IS FOR PASSES EAST OF 70 DEGREES EAST.
 /4 - REQUIREMENT IS FOR PASSES OVER CENTRAL AMERICA (INCLUDING
 [REDACTED] CARIBBEAN ISLANDS AND SOUTH AMERICA.
 /5 - REQUIREMENT IS FOR PASSES BETWEEN 115 DEGREES EAST AND
 135 DEGREES EAST.

ADVANCE CY
SANITIZED
WITH TEXT

25X1

25X1

PAGE 3 [REDACTED] 7665 TOP SECRET

- /6 - ALL COVERAGE SOUTH OF 40 DEGREES NORTH, EXCLUDING THE CONTINENT
 OF NORTH AMERICA.

| | | |
|----|----|----------------|
| C. | II | III |
| IA | A | 1 DN (TI COPY) |

TOP SECRET

25X1

25X1

2

1B TP 1 DP
3 Z 1 DP

D.

I II III

1A A 1 DP, 1 DN (DN IS TI COPY)

1B TP 1 DP, 1 DN

2 G 1 DP

3 Y 1 DP

3 Z 1 DP

3 L 1 DP

4 X 1 DP

E. CLASSIFICATION: TOP SECRET RUFF EXCEPT FOR [] COVERAGE
PORTIONS OF BOTH THE PRIMARY AND INDEX FILM FOR WHICH A []
CAVEAT WILL ADDITIONALLY BE APPLICABLE. EXCEPTED ALSO IS CONTRACTOR
MATERIAL WHICH WILL BE CLASSIFIED TOP SECRET CORONA []

25X1

25X1

25X1

PAGE 4 [] 7665 T O P S E C R E T

25X1

F. [] IS TO PRODUCE THE FOLLOWING REQUIREMENTS:

25X1

1. SO MUCH OF PRIORITIES 1 AND 2 OF MAIN CAMERA OPERATIONAL (TSR)
COVERAGE (PARA B, COLUMN III) AS SPECIFIED BY []

25X1

2. ALL PRIORITIES OF MAIN CAMERA [] (TSRN) COVERAGE
(PARA B, COLUMN IV).

25X1

3. ALL STELLAR AND INDEX FILM (PARAS C AND D).

4. ALL CONTRACTOR FILM AS SPECIFIED BELOW.

5. ALL PRIORITIES OF COLOR FILM. OPERATIONAL COVERAGE REQUIRE-
MENTS FOR COLOR ARE LISTED IN COLUMN V, PARA B ABOVE.
DOMESTIC COLOR REQUIREMENTS (TSRN) WILL CONFORM BY CUSTOMER AND
QUANTITY TO THE COLUMN IV LISTING.

G. [] IS TO PRODUCE THE REMAINING REQUIREMENTS OF THE
MAIN CAMERA OPERATIONAL COVERAGE ONLY. THE ON WILL BE MADE
AVAILABLE BY [] FOR THIS PURPOSE.

25X1

H. FOR THE [] PORTIONS, AS PRACTICAL PLACE ALL REVS OF THE ONEG
AND ALL REPRODUCTIONS ON COMMON COMPOSITE ROLLS FOR ALL CUSTOMERS.

25X1

25X1

EACH [] PASS IS TO BE SPLICED HEAD TO TAIL IN CONSECUTIVE
ORDER, ELIMINATING IDENTIS BETWEEN REVS EXCEPT WHERE NEEDED TO
EFFECT A CHANGE OF PRINT LEVEL FOR NEXT REV.

25X1

I. ALL DN OF THE PRIMARY FILM ARE TO BE PRODUCED AS SECOND GENERATION

PAGE 5 [] 7665 T O P S E C R E T

25X1

DUPES USING SO-239 DIRECT REVERSAL FILM AS AVAILABLE. OF THE TWO
PRIMARY DN FOR CUSTOMER A, ONE IS A TI COPY TO BE PRODUCED ON ONE
THOUSAND FOOT ROLLS PER [] 6513 3 JUL 69. HOWEVER, THIS COPY
PLUS THE [] DN, THE STELLAR DN AND THE INDEX DN WHICH ARE
LISTED FOR CUSTOMER A AS TI COPIES, WILL BE PRODUCED ONLY WHEN SO
REQUESTED BY THE [] TEAM LEADER. NORMALLY THESE TI COPIES WILL
NOT BE REQUIRED.

25X1

25X1

25X1

J. PREPARE ALL STELLAR DP IN HIGH-CONTRAST FORM ONLY. PRODUCE AS
2ND GENERATION COPIES. SHIP THE STELLAR ON TO CUSTOMER A WITH

3

PRIORITY 1A REQUIREMENTS. UPON COMPLETION OF [] MAIN CAMERA REQUIREMENTS, SEND THESE PORTIONS OF THE ON TO CUSTOMER A ALSO. DO LIKEWISE WITH THE INDEX ON.

25X1

K. INCLUDE THE KH-4B INSTRUCTIONS FOR USE OF THE UNIVERSAL GRID AS AN INTEGRAL PART OF EACH IDENT. NO CAMERA ON/CAMERA OFF IDENTIS WILL BE REQUIRED BETWEEN PASSES. THE "CAMERA ON" OR "CAMERA OFF" INDICATION WILL BE TITLED ALONG THE BINARY FILM EDGE AT THE APPROPRIATE END OF THE FRAME TO WHICH APPLICABLE.

L. CONTRACTOR REQUIREMENTS ARE STATED BELOW:

FOR CUSTOMER M, PROVIDE 1 DP OF [] PASSES ONLY OF PRIMARY FILM, INCLUDING THE [] COLOR PORTION, 1 DP OF [] COVERAGE

25X1

25X1

PAGE 6 [] 7665 T O P S E C R E T

25X1

ONLY FROM THE INDEX FILM AND 1 2ND GENERATION DP OF THE STELLAR FILM.

FOR CUSTOMER O, PROVIDE 1 DP OF [] PASSES FROM THE PRIMARY FILM PLUS 1 DP OF BOTH COLOR AND THE CORRESPONDING BW FILM FOR THOSE OPERATIONAL PASSES FOR WHICH COLOR FILM WAS EMPLOYED. THE TSR CLASSIFICATION WILL BE RETAINED FOR THESE OPERATIONAL PASSES. ALSO PROVIDE 1 DP OF THE TOTAL COVERAGE FROM THE INDEX CAMERA.

25X1

FOR CUSTOMER TTIC, PROVIDE 1 DP OF [] COVERAGE ONLY FROM THE INDEX FILM AND 1 2ND GENERATION DN OF THE STELLAR FILM.

25X1

M. NUMBERING OF CAN AND REEL LABELS FOR EACH ROLL OF FILM WILL BEGIN WITH NUMBER 701864.

T O P S E C R E T

END OF MESSAGE